



涼しく、経済的!!





Powerful Represents Comfort

# “強大功率”代表安逸快感。

## 強大功率 Strong power

通過革新的“強大功率”操作功能而實現了高舒適度。  
Pursuit of optimum comfort through innovative "Powerful" operation.

## 寧靜運轉 Quiet Operation

“寧靜運轉”操作功能令您安眠舒適。  
"Quiet" operation enables comfortable sleep.

## 寬闊氣流 Wide Airflow

有140°寬角度的氣流，令您感覺舒適滿意。  
Airflow as wide as 140°. Gives you a comfortable and satisfactory environment.



### “兒茶素過濾網” (用於For AK)

#### Catechin Filter

兒茶素過濾網過濾花粉、塵埃及微粒，保持空氣清新。

The Catechin Filter filtrates pollen and dust particles to keep air fresh.




### 防滴設計 (用於For AK)

#### Non-Drip Design

實現防滴設計無需排水管  
(但多濕地區長時間使用時，可安裝水盆，做好排水措施。)

Non-drip design No drain piping work is necessary  
(in humid location or operate for an extended period may require to install a Drain boat for better drainage).



### 藍色冷凝器翅片 (用於For AK)

#### Blue Condenser Fins

鋁片上加上藍色塗層，提高防銹功能。

The blue coating on the aluminum fins provides improved anti-rust performance





# EEL GRADE 1

1 級能源標籤



Refrigerant  
**R410A**

淨冷式

Cooling

**AK714FNR** **New**

7,500BTU/h



1級能源標籤

**AK914FNR** **New**

9,000BTU/h



1級能源標籤

Refrigerant  
**R410A**

淨冷式/獨立抽濕

Cooling / Dry

**AKR714FNR** **New**

7,500BTU/h



1級能源標籤

**AKR914FNR** **New**

9,000BTU/h



1級能源標籤



無線遙控,  
備有預校12小時開關時間掣

Wireless R.C. with  
12-Hour ON/OFF Timer



Refrigerant  
**R410A**

淨冷式

Cooling

**AMWA12FBT**

2級能源標籤

12,100BTU/h



逆循環冷暖式

Cooling/Heating

**AMWA12UAT**

3級能源標籤

11,400BTU/h H 12,200BTU/h



Refrigerant  
**R410A**

淨冷式

Cooling

**AFWA17FAT**

2級能源標籤

16,400BTU/h



逆循環冷暖式

Cooling/Heating

**AFWA16UAT**

2級能源標籤

15,900BTU/h H 14,600BTU/h



Refrigerant  
**R410A**

淨冷式

Cooling

**AXWA23FAT**

2級能源標籤

22,000BTU/h




自動風葉 (用於 For AK)  
Auto Louver




送風方向可自由調節 (用於 For AM, AF, AX)  
The airflow direction can be freely adjusted.

送風方向幾乎不受限制,  
送風百葉容許空氣向140°範圍流動。


Unrestricted direction of airflow  
The louver allows airflow  
coverage as wide as 140°.



● 偏左方送風  
Left-only airflow



● 偏右方送風  
Right-only airflow



## 規格 SPECIFICATIONS

### 淨冷式 Cooling Type

型號 Model No.			AK714FNR	AKR714FNR	AK914FNR	AKR914FNR	AMWA12FBT	AFWA17FAT	AXWA23FAT
項目 Item									
能力 Capacity	千瓦 kW		2.20	2.20	2.65	2.65	3.55	4.80	6.45
	英卡/時 BTU/h		7,500	7,500	9,000	9,000	12,100	16,400	22,000
除濕 Moisture Removal	品脫/時 (公升/時) Pints/h (l/h)		1.9	1.9	1.9	1.9	3.2	4.5	7.2
	立方尺/分 C.F.M.		0.9	0.9	0.9	0.9	1.5	2.1	3.4
室內空氣循環 (高能力) Room Air Circulation(High)	立方尺/分 C.F.M.		197	197	212	212	285	353	571
	立方米/時 m³/h		335	335	360	360	485	600	970
電壓/相-頻率 Input Power	伏特/〇赫茲 V/ø/Hz		220/1/50	220/1/50	220/1/50	220/1/50	220/1/50	220/1/50	220/1/50
運轉電流 Running Current	安培 A		3.8	3.8	4.3	4.3	6.5	8.5	12.1
電功率 Power Consumption	千瓦 kW		0.80	0.80	0.95	0.95	1.37	1.85	2.65
高能量效率比 EER	千瓦/千瓦 kW/kW		2.75	2.75	2.79	2.79	2.59	2.59	2.43
外形尺寸 高×寬×深 Dimensions HxWxD	毫米 mm		349x457x581	349x457x581	349x457x581	349x457x581	375x560x650	400x660x633	455x670x705
淨重 Net Weight	公斤 (磅) kg(lbs)		31(68)	31(68)	32(70)	32(70)	40(88)	59(130)	67(148)
強大功率 Strong power			●	●	●	●	●	●	●
寧靜運轉 Quiet Operation			●	●	●	●	●	●	●
寬闊氣流 Wide Airflow			●	●	●	●	●	●	●
空氣對換功能 Instant Air Exchange			●	●	●	●	●	●	●
冷媒方式 Refrigerant			R410A	R410A	R410A	R410A	R410A	R410A	R410A
能源效益級別 EEL			1	1	1	1	2	2	2

### 逆循環冷暖式 Cooling / Heating Type

型號 Model No.			AMWA12UAT	AFWA16UAT
項目 Item				
能力 Capacity	製冷 Cooling 千瓦 kW		3.35	4.65
	供暖 Heating 英卡/時 BTU/h		3,600	4,300
	製冷 Cooling 立方尺/分 C.F.M.		11,400	15,900
	供暖 Heating 立方米/時 m³/h		12,200	14,600
除濕 Moisture Removal	品脫/時 (公升/時) Pints/h (l/h)		2.34(1.1)	4.5(2.1)
室內空氣循環 (高能力) Room Air Circulation(High)	I.U. 立方尺/分 C.F.M.		286	353
	O.U. 立方米/時 m³/h		485	600
電壓/相-頻率 Input Power	伏特/〇赫茲 V/ø/Hz		220/1/50	220/1/50
運轉電流 Running Current	製冷 Cooling 安培 A		6.80	8.50
	供暖 Heating 安培 A		6.40	7.50
電功率 Power Consumption	製冷 Cooling 千瓦 kW		1.48	1.83
	供暖 Heating 千瓦 kW		1.37	1.63
高能量效率比 EER	製冷 Cooling 千瓦/千瓦 kW/kW		2.26	2.54
	供暖 Heating 千瓦/千瓦 kW/kW		2.63	2.64
外形尺寸 高×寬×深 Dimensions HxWxD	毫米 mm		375x560x650	400x660x633
淨重 Net Weight	公斤 (磅) kg(lbs)		45(99)	61(134)
強大功率 Strong power			●	●
寧靜運轉 Quiet Operation			●	●
寬闊氣流 Wide Airflow			●	●
空氣對換功能 Instant Air Exchange			●	●
逆循環冷暖式 Reverse Cycle Heating System			●	●
冷媒方式 Refrigerant			R410A	R410A
能源效益級別 EEL			3	2

► 因改進而變更規格和設計恕不另行通知。詳細情形請向經銷商查詢。  
Specifications and design subject to change without notice for further improvement.  
Please check with your dealer.

► 製冷 / 供暖能力受下面條件的影響。  
Cooling/Heating capacities are based on the following conditions.  
製冷 室內溫度：27°C DB/19°C WB  
Cooling Indoor temperature : 27°C DB/19°C WB  
室外溫度：35°C DB/24°C WB  
Outdoor temperature : 35°C DB/24°C WB  
供暖 室內溫度：20°C DB  
Heating Indoor temperature : 20°C DB  
室外溫度：7°C DB/6°C WB  
Outdoor temperature : 7°C DB/6°C WB

## 特點說明 EXPLANATION OF FEATURES

### 強大功率 Strong Power

改良的高效壓縮機或熱交換器能迅速把房間變成舒適的環境。  
The efficiency-improved compressor or heat exchanger quickly changes your room into a comfortable environment.

### 寧靜運轉 Quiet Operation

即使當風扇以最高速轉動時運轉也十分寧靜。  
Quiet operation is enabled even while the fan is working on high mode.

### 寬闊氣流 Wide Airflow

風葉能自動左、右搖擺。風向角度可輕易變動。  
The louver automatically swings to right and left. The direction and the angle of the airflow can be easily changed.

### 逆循環暖氣系統 Reverse Cycle Heating System

此暖氣系統能吸收室外暖氣以暖室內氣溫。  
This heating system takes heat from the outside air and conveys it into the room to warm it up.

### 空氣對換功能 Instant Air Exchange

可將室內污濁空氣帶走。  
Stale air is immediately removed.



ISO 9001 Certified number : 01 100 89394  
ISO 14001 Certified number : 01 104 9245/01  
Fujitsu General (Thailand) Co., Ltd.



ISO 9001 Certified number : 01 100 79269



ISO 14001 Certified number : 310102-UK  
Fujitsu General (Shanghai) Co., Ltd.

• 在日本或其他國家或地區，“OGENERAL”是FUJITSU GENERAL LIMITED公司的世界性商標或已註冊商標。  
• 因為本產品目錄是印刷品，其顏色有可能與實際顏色有所不同。

• “OGENERAL” is a worldwide trademark of Fujitsu General Limited and is a registered trademark in Japan and other countries or areas.  
• The colors may be different from the actual colors because this catalog is printed matter.

經銷商：  
Distributed by:

## 第一電業有限公司

香港皇后大道東43至59號東美中心15樓  
顧客服務專線：2529 7555  
維修服務專線：2993 1733  
http://www.general-aircon.com

FUJITSU GENERAL LIMITED  
1116, Suenaga, Takatsu-ku, Kawasaki 213-8502, Japan