

GERMAN  
POOL



德國寶



開心相伴30載

全新

抽油煙機系列



RANGE HOOD SERIES

## 機王之王



Wall-mount type

台式抽油煙機

WRY-723 / 923

2300 R.P.M 轉

機王之王台式抽油煙機憑著智能化設計為用家帶來無比方便。忘記開啟油煙機？本機的「自動智能感溫啟動」功能幫你保持廚房清新。「自動電熱除油」更使清潔抽油煙機變輕鬆。加上「自動感應LED夜燈」及「節能靜音模式」等，方便又環保。

WRY Eco Series Wall Mount Range Hood offers great convenience with its ultra-intelligent design. Forget to turn on the hood? WRY comes with a heat-activated auto-start function to keep your kitchen clean. The auto heat cleaning function makes cleaning no longer a chore. Together with such green features as LED night light and 'silent mode', WRY is your best kitchen companion.



### 自動智能感溫啟動 "Thermo-Sense" Auto Start

感應器偵測到抽油煙機底下溫度達55-60°C時，會自動啟動約3分鐘，保持空氣清新，並提醒用家開機。

When WRY detects a temperature of 55-60°C under the hood, it will automatically run for approx. 3 min.



### 自動電熱除油清洗功能 Auto Heat Cleaning

特設電熱除油一按鍵，自動加熱溶解機內之油污並排走，清潔極輕鬆。

With its auto heat cleaning capability, keeping the hood clean becomes as easy as a breeze.



### 專利龍捲風增速設計 Patented Accelerating Engine

龍捲風摩打於排氣遇阻力時，自動增速至2,300轉，完全不會受排氣管轉曲或外間風力影響，確保強勁抽吸效率。

In "Turbo Mode", the motor can automatically accelerate to fight against external air pressure.



### 節能超靜音模式 Energy-Saving "Silent Mode"

「靜音」模式適合長時間慢火煲湯或燉湯，特別省電，並保持環境寧靜舒適。

In "Silent Mode", the motor runs at the most energy-efficient speed with minimal sound level for tranquility.



### 機身無縫光滑 Seamless Hood Body

以機械手臂進行超精密鐳射焊接技術，使機身無縫光滑，美觀高貴，更避免刮傷雙手，易於清潔。

State-of-the-art fabricating technology helps make the hood body absolutely seamless.




### LED煮食照明及0.25W自動感應夜燈 LED Lighting with 0.25W Auto Night Light

LED照明燈耗電量低而亮度高，比一般抽油煙機所使用的石英燈膽更省電。周遭環境變暗時，LED燈更自動以原亮度之20% (約0.25W) 啟動，節能方便。

LED lighting is energy-saving and offers great brightness. When it is dark, LED will even light up at its 20% normal brightness (approx. 0.25W) and function as a night light.

A: WRY-723 B: WRY-923



(mm)



# RHM超勁、超靜系列 RHM Ultra Series

RHM超勁、超靜抽油煙機系列摩打轉速高達2,800轉，配合創新四面入風摩打及獨特底板細孔設計，抽力更為強勁；加上智能自動感溫啟動功能，環保又節能。

RHM Ultra Series features 2,800 R.P.M. turbo-speed motor with 4 air inlets and advanced panel hole design for superb extraction effect. It also comes with heat-activated auto start function which saves energy effectively.



全新

Euro-chimney type  
歐洲煙導式


**RHM - 328型**  
(6328 / 7328 / 8328 / 9328)

2800 R.P.M. 轉

- 極速2,800轉摩打
- 智能自動感溫啟動功能
- 創新四面入風摩打及獨特底板細孔設計，增強導風效果
- 四種闊度選擇
- 機身深度為356mm
- 內置集油杯，時尚美觀
- 摩打保用2年

- 2,800 R.P.M. turbo-speed motor
- Heat-Activated Auto Start Function
- 4 air inlet motor and advanced panel hole design for superb extraction effect
- Available in 4 widths
- Depth: 356mm
- Stylish design with hidden oil collector
- 2-year warranty on motor

A: RHM-6328 C: RHM-8328  
B: RHM-7328 D: RHM-9328



全新

Euro-chimney type  
歐洲煙導式


**RHM - 428型**  
(6428 / 7428 / 8428 / 9428)

2800 R.P.M. 轉

- 極速2,800轉摩打
- 智能自動感溫啟動功能
- 創新四面入風摩打及獨特底板細孔設計，增強導風效果
- 四種闊度選擇
- 機身深度為457mm
- 內置集油杯，時尚美觀
- 摩打保用2年

- 2,800 R.P.M. turbo-speed motor
- Heat-Activated Auto Start Function
- 4 air inlet motor and advanced panel hole design for superb extraction effect
- Available in 4 widths
- Depth: 457mm
- Stylish design with hidden oil collector
- 2-year warranty on motor

A: RHM-6428 C: RHM-8428  
B: RHM-7428 D: RHM-9428



# 龍捲風系列

Tornado Series

龍捲風系列抽油煙機，配備專利「龍捲風」摩打，排氣遇阻力時會自動加速，抽力比一般抽油煙機強勁達70%，摩打保用期更長達10年\*。

\* TOS-723 / TOS-723D / TOS-923 / TOS-923D除外

Tornado Series features the patented Tornado motor, which comes with a built-in anti-resistance acceleration system. The motor brings powerful extraction force and comes with a 10-year warranty\*.

\* Excluding TOS-723 / TOS-723D / TOS-923 / TOS-923D




## 龍捲風專利

Patented Tornado Technology


專利編號: HK1040354  
Patent Number

### 1 對抗室外風阻 Fighting Against External Air Pressure

普通抽油煙機  
Other Hoods



德國寶龍捲風系列  
Tornado Series




### 2 對抗排氣管轉曲 Coping With Duct-Bending Problem

普通抽油煙機  
Other Hoods



排氣時因轉曲多而形成更多阻力，抽力逐漸降低。  
The more turns and bends in the duct, the weaker the sucking power.

德國寶龍捲風系列  
Tornado Series



內置自動加速系統，排氣管道轉曲越多，抽力越大。  
The more turns and bends in the duct, the higher the speed of the internal motor, thus the stronger the venting power.



# 龍捲風系列

Tornado Series



全新


Wall-mount type  
台式

TOS-723D

2300 R.P.M 轉

- 堅固耐用不銹鋼易潔機身
- 易拆式扇罩設計，方便清洗
- 龍捲風摩打轉速高達 2,300轉
- 靜音模式節省用電，並保持環境舒適寧靜
- 特設極速模式，吸力更強
- 雙迴路斷電保護技術(摩打)
- 恆電燈膽白光照明
- 摩打保用五年
- 專利編號：HK1040354

- Durable and sturdy stainless steel body
- Easy-to-dismantle design for easy maintenance
- 2,300R.P.M. Tornado motor
- Energy-saving Silent Mode for tranquility
- Turbo Mode for more powerful performance
- Double reverse current circuit safety breaker device (motor)
- Fluorescent lamp lighting
- 5-year warranty on motor
- Patent no. HK1040354



(mm)

# 龍捲風系列

Tornado Series



全新


Wall-mount type  
台式

TOS-723

2300 R.P.M 轉

- 堅固耐用不銹鋼易潔機身
- 龍捲風摩打轉速高達 2,300轉
- 特設極速模式，操作方便
- 附設四個獨立易潔集油杯
- 摩打保用五年
- 專利編號：HK1040354

- Durable and sturdy stainless steel body
- 2,300 R.P.M. Tornado motor
- Turbo mode for easy operation
- 4 independent collection cups for easy cleaning
- 5-year warranty on motor
- Patent No. : HK1040354



(mm)



全新


Wall-mount type  
台式

TOS-923D

2300 R.P.M 轉

- 堅固耐用不銹鋼易潔機身
- 易拆式扇罩設計，方便清洗
- 龍捲風摩打轉速高達 2,300轉
- 靜音模式節省用電，並保持環境舒適寧靜
- 特設極速模式，吸力更強
- 雙迴路斷電保護技術(摩打)
- 恆電燈膽白光照明
- 摩打保用五年
- 專利編號：HK1040354

- Durable and sturdy stainless steel body
- Easy-to-dismantle design for easy maintenance
- 2,300R.P.M. Tornado motor
- Energy-saving Silent Mode for tranquility
- Turbo Mode for more powerful performance
- Double reverse current circuit safety breaker device (motor)
- Fluorescent lamp lighting
- 5-year warranty on motor
- Patent no. HK1040354



(mm)



全新


Wall-mount type  
台式

TOS-923

2300 R.P.M 轉

- 堅固耐用不銹鋼易潔機身
- 龍捲風摩打轉速高達 2,300轉
- 特設極速模式，操作方便
- 附設四個獨立易潔集油杯
- 摩打保用五年
- 專利編號：HK1040354

- Durable and sturdy stainless steel body
- 2,300 R.P.M. Tornado motor
- Turbo mode for easy operation
- 4 independent collection cups for easy cleaning
- 5-year warranty on motor
- Patent No. : HK1040354



(mm)



# 龍捲風系列

Tornado Series



全新




Wall-mount type  
台式(超薄型)

TOR-721

2100 R.P.M. 轉

- 首創4吋超薄流線機身
- 原色不銹鋼外殼
- 龍捲風摩打轉速高達2,100轉
- 雙風輪獨立開關及速度調校
- 附設四個獨立易潔集油杯
- 摩打保用十年
- 專利編號: HK1040354

- 4" ultra-slim range hood body
- Stainless steel body
- 2,100 R.P.M. Tornado motor
- Dual exhaust wheels with independent power switch & speed control
- 4 independent collection cups for easy cleaning
- 10-year warranty on motor
- Patent No.: HK1040354



(mm)

# 旋風系列

Typhoon Series



全新

Wall-mount type


台式(超薄型)

TYP-716

1600 R.P.M. 轉

- 首創4吋超薄流線機身
- 原色不銹鋼外殼
- 旋風摩打轉速高達1,600轉
- 雙風輪獨立開關
- 附設四個獨立易潔集油杯
- 摩打保用三年

- 4" ultra-slim range hood body
- Stainless steel body
- 1,600 R.P.M. Typhoon motor
- Dual exhaust wheels with independent power switch
- 4 independent collection cups for easy cleaning
- 3-year warranty on motor



(mm)

全新




Wall-mount type  
台式

TOR-723

2300 R.P.M. 轉

- 銀影不銹鋼易潔耐用機身
- 龍捲風摩打轉速高達2,300轉
- 雙風輪獨立開關及速度調校
- 附設四個獨立易潔集油杯
- 摩打保用十年
- 專利編號: HK1040354

- Durable silvery stainless steel body
- 2,300 R.P.M. Tornado motor
- Dual exhaust wheels with independent power switch & speed control
- 4 independent collection cups for easy cleaning
- 10-year warranty on motor
- Patent No.: HK1040354



(mm)

全新



Wall-mount type


台式

TYP-717

1650 R.P.M. 轉

- 銀影不銹鋼易潔耐用機身
- 旋風摩打轉速高達1,650轉
- 雙風輪獨立開關
- 附設四個獨立易潔集油杯
- 摩打保用三年

- Durable silvery stainless steel body
- 1,650 R.P.M. Typhoon motor
- Dual exhaust wheels with independent power switch
- 4 independent collection cups for easy cleaning
- 3-year warranty on motor



(mm)



# 歐陸系列

European Series

歐陸系列抽油煙機全部為歐洲設計，款式高雅時尚，摩打保用1年，並採用多層式鋁質線圈過濾網，有效過濾油膩物質，清洗方便。

European Series range hoods are designed in Europe with elegant and stylish design. They come with a 1-year warranty, as well as multi-layer aluminium filter for easy cleaning.




Slide-out type

抽拉式 | A70

- 嵌入抽拉式恆位設計
- 省電單摩打雙風輪操作
- 三段風速選擇
- 多層式鋁質線圈過濾網
- 可額外加裝廚櫃飾邊配合廚房設計
- 白色Teflon外殼連暗藏式開關掣
- 歐洲設計及製造
- 摩打保用1年

- Space-saving built-in design
- Energy-saving motor with dual exhaust wheels
- 3-speed extraction force
- Special 5-layer aluminium filter
- Slide-out hood body to fit under cabinets
- White Teflon body with hidden slider-control
- Designed and made in Europe
- 1-year warranty on motor




Slide-out type

抽拉式 | TF-600W / 900W

- 嵌入抽拉式恆位設計
- 高抽力雙摩打省電設計
- 三段風速選擇
- 多層式鋁質線圈過濾網
- 可額外加裝廚櫃飾邊配合廚房設計
- 白色Teflon外殼連暗藏式開關掣
- 歐洲設計
- 摩打保用1年

- Space-saving built-in design
- Dual heavy-duty motors
- 3-speed extraction force
- Special 5-layer aluminium filter
- Slide-out hood body to fit under cabinets
- White Teflon body with hidden slider-control
- Designed in Europe
- 1-year warranty on motor



# 歐陸系列

European Series




Chimney type

煙導式 | GPR-S700 / S900

- 三段風速選擇
- 排風量達 1,020 m<sup>3</sup>/hr
- 易拆式鋁質過濾網，清洗方便
- 款式簡約時尚，配合各式廚房裝修
- 兩種闊度選擇
- 輕按式簡易按鈕設計，操作簡易
- 歐洲設計及製造
- 摩打保用1年

- 3-speed extraction force
- Exhaust volume up to 1,020 m<sup>3</sup>/hr
- Detachable aluminium filter for easy cleaning
- Stylish body matches with kitchen design
- Available in 2 widths
- Soft-touch push buttons for ease of use
- Designed and made in Europe
- 1-year warranty on motor




Chimney type

煙導式 | GPR-SY900DT4S

- 四段風速選擇
- 排風量達 1,100 m<sup>3</sup>/hr
- 獨特無指模不銹鋼外殼
- 15分鐘預設自動關機功能
- 時間顯示及警鬧功能
- 特設隔音棉，運作寧靜
- 輕按式按鈕配合電子藍光顯示屏
- 歐洲設計及製造
- 摩打保用1年

- 4-speed extraction force
- Exhaust volume up to 1,100 m<sup>3</sup>/hr
- Fingerprint-proof stainless steel body
- 15-min delayed shut down
- Time display and alarm clock function
- Quiet operation with noise-reducing filter
- Soft-touch push buttons with electronic display
- Designed and made in Europe
- 1-year warranty on motor



# 歐陸系列


European Series



Chimney type  
煙導式

GPR-C900/GS

- 三段風速選擇
  - 排風量達 1,020 m<sup>3</sup>/hr
  - 超密度全不銹鋼外殼
  - 弧形強化玻璃罩設計
  - 輕按式簡易按鈕設計
  - 裝飾煙囪可調節高度
  - 歐洲設計及製造
  - 摩打保用 1 年
- 3-speed extraction force
  - Exhaust volume up to 1,020 m<sup>3</sup>/hr
  - Polished stainless steel body
  - Elegant curvy glass panel design
  - Soft-touch push buttons for ease of use
  - Adjustable decorative chimney extension
  - Designed and made in Europe
  - 1-year warranty on motor



(mm)

# 歐陸系列


European Series



Chimney type  
煙導式

GPR-M900V4

- 智能油壓式自動伸縮開關
  - 四段風速選擇
  - 排風量達 1,100 m<sup>3</sup>/hr
  - 15分鐘預設自動關機功能
  - 輕按式簡易按鈕設計，操作易如反掌
  - 多層式鋁質線圈過濾網
  - 歐洲設計及製造
  - 摩打保用 1 年
- Sleek automatic slide-out operation
  - 4-speed extraction force
  - Exhaust volume up to 1,100 m<sup>3</sup>/hr
  - 15-min delayed shut down
  - Soft-touch buttons for ease of use
  - 5-layer aluminium filtering panel
  - Designed and made in Europe
  - 1-year warranty on motor




(mm)



Chimney type  
煙導式

GPR-G900/GS

- 三段風速選擇
  - 排風量達 1,020 m<sup>3</sup>/hr
  - 超密度全不銹鋼外殼
  - 弧形強化玻璃罩設計
  - 輕按式簡易按鈕設計
  - 裝飾煙囪可調節高度
  - 歐洲設計及製造
  - 摩打保用 1 年
- 3-speed extraction force
  - Exhaust volume up to 1,020 m<sup>3</sup>/hr
  - Polished stainless steel body
  - Elegant curvy glass panel design
  - Soft-touch push buttons for ease of use
  - Adjustable decorative chimney extension
  - Designed and made in Europe
  - 1-year warranty on motor




(mm)



Chimney type  
煙導式

GPR-W600 / W700 / W900

- 三段風速選擇
  - 排風量達 725 m<sup>3</sup>/hr
  - 比同級煙導式價錢經濟兼實用
  - 超密度全不銹鋼外殼
  - 三種闊度可供選擇
  - 輕按式簡易按鈕設計，操作易如反掌
  - 裝飾煙囪可調節高度
  - 歐洲設計及製造
  - 摩打保用 1 年
- 3-speed extraction force
  - Exhaust volume up to 725 m<sup>3</sup>/hr
  - Practical and economical
  - Stainless steel body
  - Available in 3 widths
  - Soft-touch push buttons for ease of use
  - Adjustable decorative chimney extension
  - Designed and made in Europe
  - 1-year warranty on motor



(mm)



型號 Model	摩打 轉速 Motor Speed	排風量 Exhaust Volume	尺寸 Dimensions			排風口 直徑(Ø) Exhaust Outlet Diameter	功率 Power	照明燈 Lighting	電流 Electric Current	淨重 Net Weight
			高 (H)	闊 (W)	深 (D)					
	R.P.M.	m³/hr	mm	mm	mm	mm/inch	W	bulb xW	A	kg
環保節能系列 Eco Series										
<b>WRY-923</b>	2300	1000	169	900	510	152 / 6	350	2 x 1*	1.13	16.0
<b>WRY-723</b>	2300	1000	169	710	510	152 / 6	350	2 x 1*	1.13	15.0
RHM 超勁、超靜系列 RHM Ultra Series										
<b>RHM-6328</b>	2800	1000	316	600	356	152 / 6	380-420	2 x 1*	1.26	12.0
<b>RHM-7328</b>	2800	1000	316	700	356	152 / 6	380-420	2 x 1*	1.26	13.0
<b>RHM-8328</b>	2800	1000	316	800	356	152 / 6	380-420	2 x 1*	1.26	14.0
<b>RHM-9328</b>	2800	1000	316	900	356	152 / 6	380-420	2 x 1*	1.26	15.0
<b>RHM-6428</b>	2800	1000	316	600	457	152 / 6	380-420	2 x 1*	1.26	13.0
<b>RHM-7428</b>	2800	1000	316	700	457	152 / 6	380-420	2 x 1*	1.26	14.0
<b>RHM-8428</b>	2800	1000	316	800	457	152 / 6	380-420	2 x 1*	1.26	15.0
<b>RHM-9428</b>	2800	1000	316	900	457	152 / 6	380-420	2 x 1*	1.26	16.0
龍捲風系列 Tornado Series										
<b>TOS-723D</b>	2300	1000	165	710	545	152 / 6	220	1 x 12 <sup>+</sup>	1.1	12.3
<b>TOS-923D</b>	2300	1000	165	895	545	152 / 6	220	1 x 12 <sup>+</sup>	1.1	13.3
<b>TOS-723</b>	2300	1000	165	710	545	152 / 6	220	1 x 40	1.1	12.3
<b>TOS-923</b>	2300	1000	165	895	545	152 / 6	220	1 x 40	1.1	13.3
<b>TOR-721</b>	2100	1320	100	711	530	152 / 6	340	1 x 40	1.6	10.5
<b>TOR-723</b>	2300	1380	140	711	523	152 / 6	340	1 x 40	1.6	11.3

\* LED功率。 LED watt. + 恆電膽功率。 Fluorescent lamp watt.

型號 Model	摩打 轉速 Motor Speed	排風量 Exhaust Volume	尺寸 Dimensions			排風口 直徑(Ø) Exhaust Outlet Diameter	功率 Power	照明燈 Lighting	電流 Electric Current	淨重 Net Weight
			高 (H)	闊 (W)	深 (D)					
	R.P.M.	m³/hr	mm	mm	mm	mm/inch	W	bulb xW	A	kg
旋風系列 Typhoon Series										
<b>TYP-716</b>	1600	960	100	711	530	152 / 6	160	1 x 40	1.0	10.2
<b>TYP-717</b>	1650	1020	140	711	523	152 / 6	160	1 x 40	1.0	11.1
歐陸系列 European Series										
<b>A70</b>	N/A	340	185	700	min. 280 max. 432	125 / 5	215	2 x 40	1.1	8.15
<b>TF-600W</b>	N/A	340	185	600	min. 280 max. 432	125 / 5	330	2 x 40	1.8	9.4
<b>TF-900W</b>	N/A	340	185	900	min. 280 max. 432	125 / 5	330	2 x 40	1.8	12.1
<b>GPR-S700</b>	N/A	1020	min. 785 max. 1155	700	500	125 / 5	320	2 x 40	1.6	18.8
<b>GPR-S900</b>	N/A	1020	min. 785 max. 1155	900	500	125 / 5	320	2 x 40	1.6	22.8
<b>GPR-SY900DT4S</b>	N/A	1100	min. 785 max. 1155	900	500	125 / 5	400	2 x 50	2.0	15.4
<b>GPR-C900/GS</b>	N/A	1020	min. 870 max. 1175	900	500	125 / 5	320	2 x 40	1.6	22.6
<b>GPR-G900/GS</b>	N/A	1020	min. 850 max. 1140	900	500	125 / 5	340	2 x 50	1.8	25
<b>GPR-M900V4</b>	N/A	1100	min. 790 max. 1160	900	min. 330 max. 490	125 / 5	400	2 x 50	2.0	32.5
<b>GPR-W600</b>	N/A	725	min. 685 max. 1025	600	500	125 / 5	280	2 x 40	1.3	13.5
<b>GPR-W700</b>	N/A	725	min. 685 max. 1025	700	500	125 / 5	280	2 x 40	1.3	15
<b>GPR-W900</b>	N/A	725	min. 685 max. 1025	900	500	125 / 5	280	2 x 40	1.3	15.75

產品規格及設計如有變更，恕不另行通知。最新版本以www.germanpool.com網上版為準。  
Specifications are subject to change without prior notice. Refer to www.germanpool.com for the most up-to-date version.

中英文版本如有出入，一概以中文版為準。  
If there is any inconsistency or ambiguity between the English version and the Chinese version, the Chinese version shall prevail.

全線系列符合香港產品安全驗證，信心保證。  
All Range Hood Series comply with Hong Kong Safety Mark.





# 德國寶抽油煙機系列 German Pool Range Hood Series

## 環保節能系列 Eco Series



WRY-723 / 923

## RHM超勁、超靜系列 RHM Ultra Series



RHM - 328型  
(6328 / 7328 / 8328 / 9328)



RHM - 428型  
(6428 / 7428 / 8428 / 9428)

## 龍捲風系列 Tornado Series



TOS-723D



TOS-923D



TOS-723



TOS-923



TOR-721



TOR-723

## 旋風系列 Typhoon Series



TYP-716



TYP-717

## 歐陸系列 European Series



A70



TF-600W / 900W



GPR-S700 / S900



GPR-SY900DT4S



GPR-C900/GS



GPR-G900/GS



GPR-M900V4



GPR-W600 / W700 / W900

# 德國寶 ( 香港 ) 有限公司 GERMAN POOL ( HONG KONG ) LIMITED

香港  
Hong Kong

總代理 / 廚櫃及電器陳列中心  
Sole Agent & Showroom

九龍土瓜灣馬頭角道116號  
新寶工商中心高層地下2-4號室  
Room 2-4, Upper G/F, Newport Centre,  
116 Ma Tau Kok Road, Tokuwain, Kln.  
電話 Home Appliances T. +852 2773 2888  
廚櫃 Kitchen Cabinetry T. +852 2773 2828

廚櫃及電器陳列中心  
Showroom

香港灣仔摩利臣山道  
22號 (南洋酒店對面)  
Ground Floor,  
22 Morrison Hill Road,  
Wanchai, Hong Kong  
T. +852 3110 2030

新界沙田 HomeSquare  
3樓327-328號舖  
(宜家傢俖樓下)  
Shop 327 - 328, Level 3,  
HomeSquare, Shatin, N.T.  
T. +852 5802 5070

九龍長沙灣長裕街15號  
永明工業中心地舖  
(荔枝角港鐵站A出口)  
G/F Wing Ming Industrial Centre,  
15 Cheung Yue Street, Cheung Sha Wan, Kln  
T. +852 2370 3189

中國  
China

總代理 / 整體廚房旗艦店  
Sole Agent & Flagship Showroom

廣東省佛山市順德區  
大良南國東路德順廣場三層  
3/F, Takshun Plaza,  
Nanguo East Road, Shunde,  
Foshan, Guangdong  
T. +86 757 2980 8308



香港星級品牌2012  
企業獎



卓越企業品牌大獎



Outstanding Green Building Award



大中華卓越貢獻  
品牌大獎



香港超級品牌



《O獎》優質服務  
證書



香港超級名標



香港綠建築  
企業品牌獎2008-10

© 版權所有。未獲本公司授權，不得翻印、複製或使用本單張作任何商業用途。

© All rights reserved. Copying, reproducing or using the contents of this leaflet is not allowed without prior authorization from German Pool.

RHX-SERIES-PS-13(12)