

Designed to simplify



Simply Exquisite

酒櫃系列 Wine Cooler Series



存留珍貴，為佳釀延展醇和之味 **BRING WINES TO LIFE WITH IDEAL STORAGE CONDITIONS**



恆溫模式 **Constant Temperature**

特設恆溫模式，溫度受控於攝氏5-18°C之間，確保你心愛的佳釀酒質不變。

Precise temperature control allows you to set your wine cooler at a consistent temperature between 5-18°C for the type of wine you prefer.



濕度調節 **Optimal Humidity**

櫃內濕度保持於65%以上，以免濕度太低令酒塞變乾，又或太濕令酒質受潮發霉。

Humidity is maintained at the optimal level of above 65%. This is crucial as low humidity dries the cork while high humidity causes mold and destroys labels.



阻隔紫外線高達75% **Protection against 75% UV**

陽光中的紫外線會侵害酒質，惠而浦酒櫃特別採用防紫外線玻璃，保存酒質芳香醇和；部份惠而浦酒櫃更備有Low-E玻璃，於玻璃外特別塗上一層物料，阻隔紅外線及紫外線高達75%，減低玻璃冷凝的機會。

UV lights destroy the tannins in wine. Thus, all Whirlpool wine coolers are equipped with anti-UV glass to preserve the aroma, flavour and texture of wine. Selected models have Low Thermal Emissivity Glass, a special coating designed to block the heat generated from IR and UV lights, providing protection against 75% UV. Thus, the risk of condensation on the glass is further reduced.



防震保護 **Vibration Protection**

若佳釀存放不妥，日常的震動或會影響酒質，出現沉澱物甚至加速老化，為免浪費千金難買的佳釀，惠而浦酒櫃加設防震保護，令你心愛的美酒安穩存放，保持優質。

Vibration can agitate wine, disturbing the sediment and speeding up the aging process. Whirlpool's wine coolers include special anti-vibration features to protect your wines and let them rest.

品味昇華，讓味蕾迷醉馥郁醇厚中

A SIMPLY SENSIBLE TREAT FOR YOUR TASTEBUDS



獨有平板門設計 Unique Flush Door Design

特選惠而浦酒櫃更備有平板門設計，流線外型時尚考究，更節省空間，實用之餘饒富品味。

Whirlpool range of flush-fitting wine coolers is sleek, stylish and space saving. They integrate easily into surrounding cabinets, proving a true built-in solution.



獨有Low-E玻璃 Unique Low Thermal Emissivity Glass

酒樽都以有色玻璃防止光線與紫外光侵害酒質，部份惠而浦酒櫃採用了防紫外光的Low-E玻璃，給您的美酒多一層保障。Low-E玻璃採用高度節能物料，廣泛用於現代建築。Low-E玻璃有效阻隔陽光中的紫外線及紅外線引起的熱輻射，可阻隔高達75%的紫外線，減低玻璃冷凝的機會。

Wine bottles are colored to protect their contents against the damaging effects of light and UV rays. Now you can enjoy an extra layer of security, with the low-emissivity glass installed on selected Whirlpool wine coolers.

Low-emissivity glass is a type of highly energy-efficient glass largely used in modern architecture. It has a special coating designed to block the heat generated from IR and UV sunlight, providing protection against 75% UV. Thus the risk of condensation on the glass is reduced.



雙溫區 Dual Temperature Zone

不同美酒的存放溫度也有異，所以惠而浦備有一個或兩個貯酒區的酒櫃選擇（兩個貯酒區只適用於ARC1800型號），隨你調校各區溫度，配合不同佳釀存放要求，令美酒保持最佳狀況。兩個貯酒區均可達致溫度5-18°C。

Different wine has different serving temperature. Thus, Whirlpool's range of wine coolers offer the choice of single or dual temperature zone (for ARC1800 only) to store different types of wine simultaneously at their optimal temperature. Both zones are capable of reaching the 5-18°C temperature range.



新款LED顯示燈 Stylish LED Lighting

內設LED顯示燈，耗電量低，無紫外光發熱功能，安全可靠，無損你的佳釀珍藏，依舊保持品質純美無瑕。

Low-energy LED lighting offers safe and cool elegant illumination of your wine collection without damaging the flavour of the wine as it is ultraviolet free and has no heat output.



尺寸齊備 Adjustable Capacity

惠而浦酒櫃備有不同型號及尺寸，由存放7瓶至154瓶的容量任君選擇。

Wine coolers are available in sizes to fit your available space, ranging from compact 7 bottle models to expansive 154 bottle models.



壓縮冷藏 Powerful Compressor Cooling

惠而浦酒櫃採用壓縮冷藏系統，節省電力，溫度調節更加方便，相比低震動冷卻模式，溫度選擇更多更靈活，令佳釀輕易保存在最適合的溫度及環境中，香醇不減。

Whirlpool's wine coolers have adopted compressor cooling system, which is way more energy efficient, allows a larger temperature range and has better control of temperature than thermoelectric cooling. This not only ensures the long-term storage of your wines at optimum temperatures, it extends the life of your wine cooler.



安全上鎖功能 Safety Lock

為確保你的珍貴佳釀存放安全，惠而浦酒櫃特設安全防盜功能，設計精巧，安心妥貼。

You can now rest assured that your valuable wine collection will be safely kept with the option of a safety lock.



產品規格

Product Specifications



型號	Model	New ARC2100	New ARC1800	ARC1400	ARC1300	ARC1000
可儲存酒瓶數目 (瓶) *	Capacity (Bottle)*	40	154	27	18	7
最多可儲存酒瓶數目 (瓶) +	Max. Capacity (Bottle)+			35	23	
總容量 (公升)	Net Capacity (Litre)	123	416	83	60	19
溫度區域	Temperature Zone	1	2	1	1	1
溫度調較	Temperature Range	5-18°C	5-18°C (上層Upper) 5-18°C (下層Lower)	5-18°C	5-18°C	5-18°C
濕度	Humidity	>65% RH	>65% RH	>65% RH	>65% RH	>65% RH
設計	Design					
櫃門物料	Door Material	不銹鋼 Stainless Steel	全黑色玻璃門 Full Black Glass Door	不銹鋼 Stainless Steel	不銹鋼 Stainless Steel	不銹鋼 Stainless Steel
玻璃種類	Glass Type	Low-E	Low-E	Low-E	Low-E	防紫外線 Anti-UV
櫃門設計	Door Design	管狀門柄 Tubular Handle	黑色管狀門柄 Black Tubular Handle	平板門設計 Flush Door Design	平板門設計 Flush Door Design	無門柄設計 No Handle Design
無縫門設計	Seamless Door	-	-	•	•	-
控制面版	Control	黑色電子按鈕 Button (Black)	黑色電子按鈕 Button (Black)	輕觸式 Touch	輕觸式 Touch	黑色電子按鈕 Button (Black)
櫃身	Body	黑色 Black	黑色 Black	黑色 Black	黑色 Black	黑色 Black
層架物料	Shelf Material	木製 Wooden	木製 Wooden	木製 Wooden	木製 Wooden	不銹鋼 Stainless Steel
層架數目	No. of Shelf	5 + 2	13 + 1	6	6	7
特點	Features					
冷藏系統	Cooling System	壓縮系統 Compressor	壓縮系統 Compressor	壓縮系統 Compressor	壓縮系統 Compressor	壓縮系統 Compressor
防震技術	Anti-vibration	•	•	•	•	•
LED溫度顯示 (藍色)	LED Temperature Display (Blue)	•	•	•	•	•
藍色LED照明	Blue LED Lighting	•	•	•	•	•
門鉸改裝	Reversible Door	•	•	•	•	•
門鎖	Lock	-	•	-	-	-
防指紋功能	Anti-fingerprint	•	-	•	•	•
無霜系統	Frost Free	•	•	•	•	•
其他	Other Information					
輸出功率 (瓦)	Total Power (W)	85	160	85	75	60
耗電量 (度/年)	Energy Consumption (kWh/year)	152	337	185	184	155
淨重量 (公斤)	Net Weight (Kg)	38	106	34	28	19
電線長度 (米)	Length of Power Cord (M)	2	2	2	2	2
產品尺寸 (高x闊x深) (毫米)	Dimensions (HxWxD) (mm)	840 x 493 x 635 (590D不包括門柄door handle excluded)	1762 x 595 x 728 (683D不包括門柄door handle excluded)	820 x 380 x 565	808 x 300 x 585	868 x 145 x 475
開孔尺寸 (高x闊x深) (毫米)	Cut Out Dimensions (HxWxD) (mm)	#	1772 x 615 x 733	835 x 400 x 595	823 x 320 x 615	883 x 155 x 505

* 儲酒量以波爾多酒類0.75公升的酒瓶為準，並因應層架數目及擺放方法而異。若附有防潮盒，儲酒量亦會有所影響。

Capacity is based on Bordeaux type bottles 0.75 litre and subject to the number of shelves and display pattern. With the humidity box, the capacity may be changed.

+ 最高儲酒量以波爾多酒類0.75公升的酒瓶為準，並以所有層架拆除後計算。

Max. capacity is based on Bordeaux type bottles 0.75 litre but with all shelves removed.



於ACR2100型號酒櫃與牆之間、酒櫃左右及頂部與廚櫃之間必須預留127毫米或以上空間。

At least 127mm distance should be kept between the appliance back and the wall, between both sides of the appliance and with the top of closet for ARC2100.

安裝圖示 Installation Diagram

型號 Model no. : ARC1800

型號 Model no. : ARC1400 / ARC1300 / ARC1000



型號 Model no.	A	B	C	D	E	F	G	H
ARC 1400	820	380	565	730	90	595	400	835
ARC 1300	808	300	585	678	130	615	320	823
ARC 1000	868	145	475	738	130	505	155	883

尺寸 (毫米) / Dimension: (mm)



嵌入或獨立式均可
Integrated & freestanding compatible

單位：毫米
以上之安裝圖不按比例繪畫
*必須安裝通風槽

Unit : mm
Above diagram is not to scale
* Ventilation louver must be installed.



- 1年全機保養
1 year full warranty
- 3年壓縮機保養
3 years compressor warranty

WC1402(CF42) 惠而浦乃美國惠而浦 Whirlpool, U.S.A. 的註冊商標。Whirlpool is a registered trademark of Whirlpool, U.S.A. 版權所有 翻印必究 All Rights Reserved.



立即下載 Scan to download
www.whirlpool.com.hk



www.whirlpool.com.hk/whirlpoolclub



星級服務 STAR SERVICE
查詢熱線 Star Hotline
香港 Hong Kong : 2406 9138
澳門 Macau : 0800157
送貨查詢熱線 Delivery Hotline : 2407 3126