







[← Back](#)

DGC 6660

Steam combination oven XXL

Steam oven with fully-fledged oven function for gourmet results.

- Perfect results thanks to MultiSteam technology 
- It doesn't get bigger than this – the XXL cooking compartment 
- Very convenient - water container is behind motorised lift panel 
- Custom and precise temperature control - cook with the food probe 
- A plus for convenience - SensorTronic 









[More product information](#) 
















Price: **HK\$ 85,000***
Hong Kong retail price

[> Find a dealer](#)

 [Save & Compare](#) [> Appliance visualiser](#)
[Benefits](#)
[Product details](#)
[Downloads](#)
[Support & Service](#)
[Accessories](#)
[Miele Cleaning products at a glance](#)

Product details - DGC 6660

Construction type 	
Steam combination oven	•
Design 	
PureLine	•
Colour	Stainless steel/Clean Steel
Display	SensorTronic 
Convenience features 	
Electronic temperature control of oven operation 40 to 100°C	30 - 225
Electronic temperature control with steam oven operation 40 to 100°C	40 - 100 
External steam generation	• 
Climate sensor	•
Individual humidity settings in combi cooking	•
Menu cooking without transfer of taste	•
Food probe	•
Automatic programmes with individual setting of the cooking result	•
Keep-warm function	• 
Operating modes 	
Defrost	•
Automatic programmes	More than 200
Combi cooking	•
Steam cooking	•
Reheating	•
Full grill	•
Economy grill	•
Fan plus	•
Intensive bake	•

Cake plus	•
Conventional heat	•
Top heat	•
Bottom heat	•
Fan grill	•
Special applications	•
User convenience	^
Individual language selection	•
Steam cooking on up to 4 levels at the same time	•
Motorised lift-up fascia	• 
Quantity-independent cooking	• 
Automatic menu cooking	• 
Steam reduction before end of programme	• 
Time of day display	•
Date display	•
Minute minder	•
Time buffer in h	200
Start-stop programming	•
Automatic switch-off	•
Entry via number keypad	•
Actual temperature display	•
Recommended temperatures	• 
Audible signal when desired temperature is reached	•
User programmes	20 
Sabbath programme	• 
Individual settings	• 
Door	^
CleanGlass door	•
Door with viewing screen	• 
Door hinge side	Bottom
Cavity	^
XXL cavity	•
Cavity volume in l	68
PerfectClean stainless steel cavity	•
No. of rack levels	4
Labelling of rack levels	•
Removable side racks with PerfectClean	•
No. of halogen lamps	double
Cleaning convenience	^
Stainless steel front with CleanSteel surface	• 
Cavity with PerfectClean	•
Stainless-steel cavity with linen surface structure	•
External steam generator	• 
Soak programme	•
Rinse programme	•
Cavity drying programme	•
Quick-release side racks	•
Automatic descaling	• 
Steam technology and water supply	^
MultiSteam	• 
Water reserve for approx. 90 min cooking	•
Fresh water tank	• 
Condensate container behind motorised fascia panel	•
Drain filter	•
Efficiency and sustainability	^
Energy-saving lighting circuit	•

Rapid heat-up

•

Safety

^

Appliance cooling system with cool front

• 

Safety cut-out

• 

System lock

•

Vapour cooling system

•

Door contact switch

•

Technical data

^

Niche width in mm

560-568

Niche height in mm

593-595

Niche depth in mm

555

Appliance width in mm

595

Appliance height in mm

595

Appliance depth in mm

573

Weight in kg

52,0

Total connected load in kW

3,5

Voltage in V

230

Frequenz in Hz

50-60

Fuse rating in A

16

Number of phases

1

Standard accessories

^

No. of universal baking trays with PerfectClean

1

Combi rack with PerfectClean

1

Side racks with PerfectClean

•

No. of perforated stainless steel containers

2

No. of unperforated stainless steel containers

1

Grease filter

•

Recipe book

•

Connection cable with plug

•

Descaling tablets

•